

**SPECIFICATIONS**

Wheels 35 in.  
 Tire 35  
 Weight 1,000  
 Height to saddle top 54  
 Overall depth 48  
 Fuel tank capacity 27 gal.

**Chassis**  
 All-steel chassis fabricated with steel  
 in main body and with magnesium alloy  
 floor plates.


**Engine**  
 Ford Cyclecar 2071 Whippet 34 with  
 cast aluminum cylinder and pistons.  
 Bore 3 1/2 in.  
 Stroke 4 1/2 in.  
 Capacity 200 cu.  
 Compression 4.0 to 4.5:1  
 Lubrication Cast mechanical

Fuel system Low pressure  
 carburetor and float valve  
 located in the hood  
 storage tray and fuel duct.

**Exhaust**  
 From compression chamber  
 with cast spring hangers with cast  
 iron.


**Wheels and tires**  
 Casters 16 in. front, 18 in. rear  
 Tire size 35 in. front, 35 in. rear  
 Tire 35 in. front, 35 in. rear  
 Spokes 16 in. front, 18 in. rear  
 Steering Rack and pinion  
 Fuel and lubrication 1/2 in. diameter

Motor



THE NEW  
**Autocar**

©1911 Autocar Co. WOODBURY





Så här ser Ronnies nya bil ut!

